

VIVAT

robust early variety
for crisps

NEW
RELEASES



**VIVAT is suitable for early harvest and delivery
to crisp factories.**



QUALITY

dry matter content 23 – 24 %,
reducing sugar content very low, stable
quality, low sensitivity to mechanical
damage and internal defects

YIELD

medium – high number of tubers with
uniform size,
medium – high marketable yield

RESISTANCES

- › PCN Ro 1
- › Wart disease 1
- › Y-Virus (PVY) very high
- › potato leaf roll virus (PLRV) medium
- › late blight medium
- › early blight medium
- › common scab medium

TUBER

roundoval, netted yellow skin,
yellow flesh

PLANT

white flowers, rapid development and
foliage cover

PLANTING

VIVAT can be planted on all types of soil,
VIVAT should be planted with 30 – 32 cm
distance (in 75 cm rows) in a well-prepa-
red seedbed,
protective chemical control against Rhi-
zoctonia solani is recommended

FERTILISATION

up to 150 kg N / ha minimum,
phosphorus 100 kg, potassium 250 – 300
kg / ha (preferably sulphate), sufficient
magnesium 80 kg / ha.

During dry periods foliage application
with micronutrients is useful.

PLANT PROTECTION

VIVAT is not sensitive to Metribuzin,
routine chemical control of late blight
together with active ingredients against
early blight is recommended

HARVEST / STORAGE

2 – 3 weeks after haulm killing skin set
is finished and VIVAT should be harves-
ted in time. Early harvest without haulm
killing is possible. Medium dormancy,
avoid variations in temperature during
long term storage

This variety description is based on official trials and our own experience. As potatoes are natural products we can not undertake liability for the given description. VIVAT was bred conventionally without using any gene modifying methods.