

# VIVAT

robust early variety for crisps



**VIVAT is suitable for early harvest and delivery to crisp factories.**



## QUALITY

dry matter content 23-24%  
reducing sugar content very low, stable  
quality low sensitivity to mechanical  
damage and internal defects

## YIELD

medium- high number of tubers with uni-  
form size medium- high marketable yield

## RESISTANCES

› PCN	Ro 1
› wart disease	1
› Y-Virus (PVY)	very high
› potato leaf roll virus (PLRV)	medium
› late blight	medium
› early blight	medium
› common scab	medium

## TUBER

round-oval; netted, yellow  
skin; yellow flesh

## PLANT

white flowers, rapid development and  
foliage cover

## HARVEST

2-3 weeks after haulm killing skin set is  
finished and VIVAT should be harvested  
in time.

Early harvest without haulm killing is  
possible

## PLANTING

VIVAT can be planted on all types of soil  
VIVAT should be planted with 30 – 32 cm  
distance (in 75 cm rows) in a well-prepa-  
red seedbed

Protective chemical control against Rhi-  
zoctonia solani is recommended

## FERTILIZATION

up to 150 kg N/ha minimum  
phosphorus 100kg  
potassium 250-300kg/ha (preferably  
sulphate)  
sufficient magnesium 80kg/ha.  
during dry periods foliage application  
with micronutrients is useful

## PLANT PROTECTION

VIVAT is not sensitive to Metribuzin,  
routine chemical control of late blight  
together with active ingredients against  
early blight is recommended

## STORAGE

Medium dormancy, Avoid variations in  
temperature during long term storage

This variety description is based on official trials and our own experience. As potatoes are natural products we can not undertake liability for the given description. VIVAT was bred conventionally without using any gene modifying methods.